



Technical Data

<u>Product Name</u>	CV122
<u>Product Description</u>	Electrical Insulating and Aerospace Wood Varnish
<u>Key Features</u>	CV122 is a single-pack, water-resistant, gloss varnish suitable for application as an electrical insulating coating or wood varnish.
<u>Specifications – Approval</u>	BSX17, Def Stan 80-129/4 type 2
<u>Specifications – Performance</u>	



Technical Data

Physical Characteristics

Colour	Clear	
Gloss	full gloss	
Coverage	20m ² /litre @ 20 microns	
Dry Film Density	1.1	
VOC Content (as supplied)	355g/litre	
Flash Points	CV122	38°C
	T1	38°C
Shelf Life	24 months	
Storage Conditions	5-35°C in the original unopened containers	

Health & Safety

This product is safe to use and apply when recommended precautions are observed. Before using this product it is important to read and understand the Material Safety Data Sheet. This provides information on health, physical and environmental hazards, handling precautions and first aid recommendations. Material Safety Data Sheets are available on request.

All recommendations, statements and technical data contained herein are based on tests we reasonably believe to be reliable and correct, but the accuracy and completeness of such tests are not guaranteed and are not to be construed as a warranty, either express or implied. The User shall rely on its own information and tests to determine the suitability of any product for its intended use and the User agrees to assume all risks and liability arising in relation to its use of such product (other than death or injury resulting from our negligence) and accordingly we shall not assume any such risks or liability unless we specifically agree to the contrary in writing. If we specifically agree to assume any such risks or liability then (except for death or injury resulting from our negligence) our sole responsibility if any product supplied to the User by us is defective shall be to replace that portion of such product which is defective. Recommendations or statements other than those specifically agreed in writing by us shall not be legally binding on us.

Export Classification: DE AWV UNCTD
This watermark classification supersedes any and
all other export classifications or classification markings.
Status: Released
10-Jul-2024 13:00: GMT