

ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: ROYCO 555 DOD-PRF-85734

TURBINE ENGINE & HELICOPTER TRANSMISSION OIL

Product Use Description: Lubricant

Synonyms: Synthetic Lubricant Formulation

Company: <u>Manufacturer</u>

Anderol Specialty Lubricants, a division of Lanxess Solutions US Inc.

215 Merry Lane East Hanover, NJ

07936

United States of America (USA)

Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Email: msdsrequest@chemtura.com

Emergency telephone CHEMTREC: (24 hours) 800-424-9300

number:

: US: 800-292-5898 (Technical inquiries)

For additional emergency telephone numbers see section 16 of the Safety

Data Sheet.

Prepared by <u>Product Safety Department</u>

(US) +1 866-430-2775

MSDSRequest@lanxess.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

SECTION 2. HAZARDS IDENTIFICATION

Form	liquid	
Colour	amber	
Odour	mild	

GHS Classification

Reproductive toxicity : Category 2
Acute aquatic toxicity : Category 3
Chronic aquatic toxicity : Category 3

GHS label elements

SAP 6.0 SDS 2012-2 NA GHS 1 / 12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

Signal word : Warning

Hazard pictograms

Hazard statements : H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

Other hazards None

Precautionary statements : **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention. **Storage:**

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name CAS-No. Concentration (%	emical name	CAS-No.	Concentration (%)
--	-------------	---------	-------------------



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	>= 1 - < 2.5 %
tris(methylphenyl) phosphate	1330-78-5	>= 0.25 - < 1 %

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled

Move to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

In case of bluish discolouration (lips, ear lobes, fingernails),

give oxygen as quickly as possible. If symptoms persist, call a physician.

In case of skin contact : In case of skin contact

Wash off with soap and water.

Remove contaminated clothing and shoes. Wash contaminated clothing before re-use.

Get medical attention if irritation develops and persists.

In case of eye contact : In case of eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

If swallowed : If swallowed, DO NOT induce vomiting.

Consult a physician if necessary.

Most important symptoms

and effects, both acute and

delayed

Notes to physician : For specia

: None known.

: For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder Foam

Alcohol-resistant foam

Water mist

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Burning produces noxious and toxic fumes.

Specific extinguishing : In the event of fire, cool tanks with water spray.

SAP 6.0 SDS 2012-2 NA GHS 3 / 12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

methods

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions : Should not be released into the environment.

Do not contaminate water.

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

: Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Keep container closed when not in use.

Do not use pressure to empty drums.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Materials to avoid : Strong acids and strong bases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : Effective exhaust ventilation system

Ensure that eyewash stations and safety showers are close to

the workstation location.

Personal protective equipment

Respiratory protection : Breathing apparatus needed only when aerosol or mist is

formed.

In the case of vapour formation use a respirator with an

SAP 6.0 SDS 2012-2 NA GHS 4/12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

approved filter.

Hand protection

Remarks : Neoprene gloves

Eye protection : Safety glasses with side-shields

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Avoid contact with skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety

practice.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : amber
Odor : mild

Odour Threshold : No data available pH : No data available

Melting point/range

Not applicable

Boiling point/boiling range : No data available Evaporation rate : No data available

Flash point : > 246 °C

Method: ASTM D92

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available

Relative density : 0.99

Density : No data available

Solubility(ies)

Water solubility : slightly soluble
Solubility in other solvents : No data available

Partition coefficient: n- : No data available

SAP 6.0 SDS 2012-2 NA GHS 5 / 12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

octanol/water

Auto-ignition temperature : No data available
Thermal decomposition : No data available

Viscosity

Viscosity, kinematic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

: Hazardous polymerisation does not occur.

: Contamination
Heat, flames and sparks.

Incompatible materials : Strong acids and strong bases

Hazardous decomposition

products Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

SAP 6.0 SDS 2012-2 NA GHS 6 / 12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

Skin corrosion/irritation

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Germ cell mutagenicity

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Germ cell mutagenicity - : Not mutagenic in Ames Test

Assessment

tris(methylphenyl) phosphate:

Germ cell mutagenicity - : In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Components:

tris(methylphenyl) phosphate:

Carcinogenicity - : Animal testing did not show any carcinogenic effects.

Assessment

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

SAP 6.0 SDS 2012-2 NA GHS 7/12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Print Date: 04/02/2020 Revision Date: 07/11/2018

by NTP.

Reproductive toxicity

Components:

tris(methylphenyl) phosphate:

Effects on foetal Species: Rat

development Application Route: Oral

Developmental Toxicity: NOEL: 20 mg/kg

Reproductive toxicity -: Suspected of damaging fertility or the unborn child. Did not show teratogenic effects in animal experiments. Assessment

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: There is no data available for this product.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae

Remarks: No data available

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 71 mg/l

Exposure time: 96 h

Exposure time: 48 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

EC50 (Daphnia magna (Water flea)): 51 mg/l

aquatic invertebrates

Method: OECD Test Guideline 202



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

Toxicity to algae : EbC50 (Desmodesmus subspicatus (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

tris(methylphenyl) phosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.75 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.146 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 0.27 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic

toxicity)

1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Persistence and degradability

Product:

Biodegradability : Result: No data available

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Method: CO2 Evolution Test

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n- : log Pow: > 7

SAP 6.0 SDS 2012-2 NA GHS 9 / 12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

octanol/water

tris(methylphenyl) phosphate:

Partition coefficient: n-

octanol/water

Pow: 5.93

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

Product:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Additional ecological

information

: There is no data available for this product.

Components:

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Additional ecological

information

Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	
		(lbs)	(lbs)
amitrole	61-82-5	10	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Prop. 65

WARNING: This product can expose you to chemicals including amitrole, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SAP 6.0 SDS 2012-2 NA GHS 11 / 12 SDS Number: 400000001740



ROYCO 555 DOD-PRF-85734

Version: 1.7 Revision Date: 07/11/2018 Print Date: 04/02/2020

Please note that Section 3 of this document lists only the hazardous components required by the specific country or region hazard communication regulations. The chemical identifiers listed in Section 3 are used globally for hazard communication purposes and may not reflect those used for chemical inventory coverage in a particular country or region. The chemical inventory information given in Section 15 of this document applies to the product as a whole and should be used when evaluating inventory compliance.

The components of this product are reported in the following inventories:

All components of this product are on the Canadian DSL AICS

All components of this product are on the Canadian DSL On the inventory, or in compliance with the inventory

NZIOC

Not in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory
TCSI On the inventory, or in compliance with the inventory

US.TSCA On TSCA Inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.