

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version      Revision Date:      SDS Number:      Date of last issue: 21.02.2019  
4.5            17.10.2019            150000097793      Date of first issue: 31.05.2014  
PRD                            SDSGB / EN / 0001

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1	STOT RE 2; H373 Aquatic Chronic 3; H412	1 - 5
Tricresyl phosphate	1330-78-5 215-548-8	Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1	< 3
N-phenyl-1-naphthylenamine	90-30-2 201-983-0	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.5

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- If inhaled : Move to fresh air.  
If breathing is difficult, give oxygen.  
Consult a physician if necessary.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
Wash contaminated clothing before reuse.  
If symptoms persist, call a physician.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
Get medical attention if symptoms occur.
- If swallowed : Rinse mouth.  
Call a physician or poison control center immediately.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Prolonged skin contact may defat the skin and produce dermatitis.  
Contact with hot product will cause thermal burns.  
Inhalation of thermal decomposition products may lead to adverse effects including pulmonary edema.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Foam  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Oxides of phosphorus

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : In case of fire and/or explosion do not breathe fumes.  
Use water spray to cool unopened containers.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ventilate the area.  
Material can create slippery conditions.  
Use personal protective equipment.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Do not get in eyes.  
Do not get on skin or clothing.  
Wash thoroughly after handling.  
Do not breathe vapors or spray mist.  
Use only in area provided with appropriate exhaust ventilation.  
Drain or remove substance from equipment prior to break-in or maintenance.  
Wear appropriate personal protective equipment.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed in a cool, well-ventilated place.  
areas and containers

### 7.3 Specific end use(s)

Specific use(s) : [www.EastmanAviationSolutions.com](http://www.EastmanAviationSolutions.com)

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Engineering measures

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal protective equipment

Eye protection : Wear safety glasses with side shields (or goggles).

Hand protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	15000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

Material	:	Recommended gloves:
Material	:	Nitrile rubber
Remarks	:	Wear suitable gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Protective measures	:	Ensure that eye flushing systems and safety showers are located close to the working place.

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Color	:	amber
Odor	:	No data available
Melting point/freezing point	:	-54 °C
Flash point	:	246 °C Method: Cleveland open cup
Relative density	:	0.98 (15.6 °C)
Density	:	980 kg/m <sup>3</sup> (15.6 °C)
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity	:	
Viscosity, kinematic	:	23 - 30 mm <sup>2</sup> /s (40 °C) 4.9 - 5.4 mm <sup>2</sup> /s (100 °C)

#### 9.2 Other information

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

None reasonably foreseeable.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

#### 10.4 Conditions to avoid

Conditions to avoid : Keep away from sources of ignition - No smoking.

#### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Emits acrid smoke and fumes when heated to decomposition.

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Assessment: Not classified

Acute inhalation toxicity : Acute toxicity estimate: Exposure time: 4 h  
Assessment: Not classified  
Remarks: Read-across from a similar material

##### Components:

##### **Tricresyl phosphate:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

##### **N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### **N-phenyl-1-naphthylenamine:**

Acute oral toxicity : LD50 Oral (Rat): 1,250 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Species : Rabbit  
Exposure time : 24 h  
Assessment : Not classified as hazardous.  
Result : slight

#### **Components:**

##### **Tricresyl phosphate:**

Species : Rabbit  
Exposure time : 24 h  
Assessment : Not classified as hazardous.  
Result : Non-irritating to the skin.

##### **N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : Not classified  
Result : slight

##### **N-phenyl-1-naphthylenamine:**

Species : Rabbit  
Assessment : Not classified  
Result : none

### **Serious eye damage/eye irritation**

#### **Product:**

Species : Rabbit  
Assessment : Not classified  
Result : No eye irritation

#### **Components:**

##### **Tricresyl phosphate:**

Species : Rabbit  
Assessment : Not classified

##### **N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : Not classified

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

Result : slight

### **N-phenyl-1-naphthylamine:**

Species : Rabbit  
Assessment : Not classified  
Result : slight

### **Respiratory or skin sensitization**

#### **Product:**

Test Type : Skin sensitization  
Method : Human Repeat Insult Patch Test  
Result : Not a skin sensitizer.

#### **Components:**

##### **Tricresyl phosphate:**

Test Type : Skin Sensitization  
Assessment : Not classified

##### **N-phenyl-1-naphthylamine:**

Assessment : Skin sensitization  
Result : sensitizing

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Test Type: Mutagenicity  
Metabolic activation: Read-across from a similar material  
Result: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Mutagenicity  
Result: Based on available data, the classification criteria are not met.  
Remarks: Read-across from a similar material

#### **Components:**

##### **Tricresyl phosphate:**

Genotoxicity in vitro : Test Type: various  
Result: Based on available data, the classification criteria are not met.  
Remarks: Not classified

Genotoxicity in vivo : Test Type: various  
Result: Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### Carcinogenicity

#### Product:

Species : Mouse  
Application Route : Dermal  
Remarks : negative

### Reproductive toxicity

#### Components:

##### Tricresyl phosphate:

Reproductive toxicity - Assessment : May damage the unborn child. Suspected of damaging fertility.

### STOT-single exposure

#### Components:

##### Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

### STOT-repeated exposure

#### Components:

##### Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

### N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Assessment : Not classified

### N-phenyl-1-naphthylenamine:

Assessment : Not classified

### Repeated dose toxicity

#### Components:

##### Tricresyl phosphate:

Species : Rat  
: 300 mg/l

### Aspiration toxicity

#### Components:

##### Tricresyl phosphate:

Not classified

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

### Information on likely routes of exposure

#### Product:

Inhalation	:	Remarks: None known.
Skin contact	:	Remarks: None known.
Eye contact	:	Remarks: None known.
Ingestion	:	Remarks: None known.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.

#### Components:

#### Tricresyl phosphate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.146 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	:	1

#### N-phenyl-1-naphthylamine:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.30 - 0.68 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	EC50 (Bacteria): Exposure time: 3 h

### 12.2 Persistence and degradability

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	15000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

### 12.3 Bioaccumulative potential

#### Components:

##### Tricresyl phosphate:

Bioaccumulation : Bioconcentration factor (BCF): 2,000  
Remarks: No information available.

Partition coefficient: n-  
octanol/water : Pow: 860,000  
log Pow: 5.93

### 12.4 Mobility in soil

#### Components:

##### Tricresyl phosphate:

Distribution among environ-  
mental compartments : log Koc: 4.31

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

---

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	15000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

#### The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	15000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

### 15.2 Chemical Safety Assessment

None.

### SECTION 16: Other information

#### Full text of H-Statements

H302	: Harmful if swallowed.
H317	: May cause an allergic skin reaction.
H361	: Suspected of damaging fertility or the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitization
STOT RE	: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**EASTMAN**

## Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 21.02.2019
4.5	17.10.2019	150000097793	Date of first issue: 31.05.2014
PRD		SDSGB / EN / 0001	

---

stance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN