Stainless Steel Clamps

Clamp Size	Hose I.D. Min (in)	Hose I.D. Max (in)	Clamping Range Min (in)	Clamping Range Max (in)	Std. Pack	Pkg Code	Gates Item No.
8	.3125	.5	.4375	1	BULK	10	7408-1008
10	.375	.625	.5	1.125	BULK	10	7408-1010
12	.625	.75	.5	1.25	BULK	10	7408-1012
16	.75	1	.75	1.5	BULK	10	7408-1016
20	1	1.25	.75	1.75	BULK	10	7408-1020
24	1.25	1.5	1	2	BULK	10	7408-1024
28	1.25	1.75	1.3125	2.25	BULK	10	7408-1028
32	1.5	2	1.5625	2.5	BULK	10	7408-1032
36	1.75	2.25	1.875	2.75	BULK	10	7408-1036
48	2.5	3	1.625	3.5	BULK	10	7408-1048
52	3	3.25	1.875	3.75	BULK	10	7408-1052
56	2	3.5	2.125	4	BULK	10	7408-1056
60	2.25	3.75	2.3125	4.25	BULK	10	7408-1060
64	2.25	4	2.625	4.5	BULK	10	7408-1064
72	3	4.5	3.5	5	BULK	10	7408-1072
104	5	6.5	5	7	BULK	10	7408-1104

RECOMMENDED FOR: Clamping all types of hose and tubing.

CONSTRUCTION: Clamps are constructed of 100% marine grade stainless steel. Bands have rounded edges to prevent cutting. Screws feature 305 grade stainless steel construction and deep slotted hex heads.

Heavy-Duty T-Bolt Clamps

Size	Clamping Range Min		Clamping Range Max		Recommended Torque	Std. Pack	Pkg Code	Gates Item No.
	(in)	(mm)	(in)	(mm)	(in/lbs)			
N/A	1.375	35.1	1.5625	38.6	75	BULK	10	7422

GLX™ - Male Pipe (NPTF 30° Cone Seat)



Standard Pack

Description	Hose I.D. (in)	Thread	H1 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-2MP	1/4	1/8–27	1/2	2.01	51.1	.98	24.9	.10	BULK	1	7107-00105
4GLX-4MP	1/4	1/4–18	9/16	2.17	55.1	1.14	29.0	.12	BULK	1	7107-00115
6GLX-4MP	3/8	1/4–18	11/16	2.32	58.9	1.22	31.0	.15	BULK	1	7107-00135
6GLX-6MP	3/8	3/8–18	11/16	2.32	58.9	1.22	31.0	.17	BULK	1	7107-00145
8GLX-6MP	1/2	3/8–18	13/16	2.72	69.1	1.24	31.5	.05	BULK	1	7107-00165
8GLX-8MP	1/2	1/2–14	7/8	2.78	70.6	1.40	35.6	.30	BULK	1	7107-00175
8GLX-12MP	1/2	3/4–14	13/16	3.46	87.9	1.45	36.8	.35	BULK	1	7107-00785
10GLX-8MP	5/8	1/2–14	15/16	2.40	61.0	1.55	39.4	.22	BULK	1	7107-00195
12GLX-8MP	3/4	1/2–14	1 1/16	3.46	87.9	1.46	37.1	.45	BULK	1	7107-00215
12GLX-12MP	3/4	3/4–14	1 1/16	3.46	87.9	1.46	37.1	.45	BULK	1	7107-00225
16GLX-16MP	1	1–11 1/2	1 3/8	4.11	104.4	1.88	47.8	.80	BULK	1	7107-00255
20GLX-20MP	1 1/4	1 1/4–11 1/2	1 3/4	4.41	112.0	2.09	53.1	1.20	BULK	1	7107-00265

Bulk Pack

Description	Hose I.D. (in)	Thread	H1 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-2MPXBULK	1/4	1/8–27	1/2	2.01	51.1	.98	24.9	.10	BULK	300	7107-0010
4GLX-4MPXBULK	1/4	1/4–18	9/16	2.17	55.1	1.14	29.0	.12	BULK	200	7107-0011
6GLX-4MPXBULK	3/8	1/4–18	11/16	2.32	58.9	1.22	31.0	.14	BULK	200	7107-0013
6GLX-6MPXBULK	3/8	3/8–18	11/16	2.32	58.9	1.22	31.0	.16	BULK	150	7107-0014
8GLX-6MPXBULK	1/2	3/8–18	13/16	2.72	69.1	1.24	31.5	.24	BULK	100	7107-0016
8GLX-8MPXBULK	1/2	1/2–14	7/8	2.78	70.6	1.40	35.6	.29	BULK	100	7107-0017
8GLX-12MPXBULK	1/2	3/4–14	13/16	3.46	87.9	1.45	36.8	.35	BULK	100	7107-0078
10GLX-8MPXBULK	5/8	1/2–14	15/16	2.40	61.0	1.55	39.4	.22	BULK	100	7107-0019
12GLX-8MPXBULK	3/4	1/2–14	1 1/16	3.46	87.9	1.46	37.1	.45	BULK	60	7107-0021
12GLX-12MPXBULK	3/4	3/4–14	1 1/16	3.46	87.9	1.46	37.1	.49	BULK	75	7107-0022
16GLX-16MPXBULK	1	1–11 1/2	1 3/8	4.11	104.4	1.88	47.8	.80	BULK	25	7107-0025
20GLX-20MPXBULK	1 1/4	1 1/4–11 1/2	1 3/4	4.41	112.0	2.09	53.1	1.20	BULK	20	7107-0026

GLX™ - MS 45° SAE Male Solid



Standard Pack

Description	Hose I.D. (in)	Thread	H1 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-4MS	1/4	7/16–20	1/2	2.11	53.6	1.08	27.4	.09	BULK	1	7107-00525
6GLX-6MS	3/8	5/8–18	5/8	2.38	60.5	1.28	32.5	.15	BULK	1	7107-00535
8GLX-8MS	1/2	3/4–16	13/16	2.89	73.4	1.42	36.1	.25	BULK	1	7107-00545
12GLX-12MS	3/4	1 1/16–14	1 1/16	3.78	96.0	1.77	45.0	.54	BULK	1	7107-00555

Bulk Pack

Description	Hose I.D. (in)	Thread	H1 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-4MSXBULK	1/4	7/16–20	1/2	2.11	53.6	1.08	27.4	.10	BULK	300	7107-0052
6GLX-6MSXBULK	3/8	5/8–18	5/8	2.38	60.5	1.28	32.5	.15	BULK	225	7107-0053
8GLX-8MSXBULK	1/2	3/4–16	13/16	2.89	73.4	1.42	36.1	.25	BULK	100	7107-0054
12GLX-12MSXBULK	3/4	1 1/16–14	1 1/16	3.78	96.0	1.77	45.0	.51	BULK	50	7107-0055

GLX™ - FSX 45° SAE Female Swivel



Standard Pack

Description	Hose I.D. (in)	Thread	H1 (in)	H2 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-4FSX	1/4	7/16–20	1/2	9/16	2.24	56.9	1.22	31.0	.10	BULK	1	7107-00485
6GLX-6FSX	3/8	5/8–18	5/8	3/4	2.44	62.0	1.35	34.3	.15	BULK	1	7107-00495
8GLX-8FSX	1/2	3/4–16	13/16	7/8	2.82	71.6	1.34	34.0	.24	BULK	1	7107-00505
12GLX-12FSX	3/4	1 1/16–14	1 1/16	1 1/4	3.68	93.5	1.67	42.4	.51	BULK	1	7107-00515

Bulk Pack

Description	Hose I.D. (in)	Thread	H1 (in)	H2 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-4FSXXBULK	1/4	7/16–20	1/2	9/16	2.24	56.9	1.22	31.0	.10	BULK	300	7107-0048
6GLX-6FSX XBULK	3/8	5/8–18	5/8	3/4	2.44	62.0	1.35	34.3	.15	BULK	200	7107-0049
8GLX-8FSX XBULK	1/2	3/4–16	13/16	7/8	2.82	71.6	1.34	34.0	.24	BULK	100	7107-0050
12GLX-12FSX XBULK	3/4	1 1/16–14	1 1/16	1 1/4	3.68	93.5	1.67	42.4	.51	BULK	40	7107-0051


AGRICULT
AIR BREATH
AIR D
AIR AND MU
PURP
CHEM
FOOD
BEVER
ENGINE
MA
MATE
HAND
MIN
OILF
PETROL
WASH
WASH

GLX™ - FP Female NPTF Solid



Standard Pack

Description	Hose I.D. (in)	Thread	H1 (in)	L (in)	L (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-4FP	1/4	1/4–18	11/16	1.99	24.4	.11	BULK	1	7107-00415
6GLX-4FP	3/8	1/4–18	11/16	2.07	24.6	.15	BULK	1	7107-00425
6GLX-6FP	3/8	3/8–18	13/16	2.07	4.6	.18	BULK	1	7107-00435
8GLX-6FP	1/2	3/8–18	13/16	2.48	5.4	.24	BULK	1	7107-00445
8GLX-8FP	1/2	1/2–14	1	2.64	.5	.26	BULK	1	7107-00455
12GLX-12FP	3/4	3/4–14	1 1/4	3.23	0	.48	BULK	1	7107-00465
16GLX-16FP	1	1–11 1/2	1 1/2	3.86		.73	BULK	1	7107-00475

Bulk Pack

Description	Hose I.D. (ih)	Thread	H1 (ih)								

GLX™ - FPX Female NPSM Swivel



Standard Pack

Description	Hose I.D. (in)	Thread	H1 (in)	H2 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Plug	



Description	Hose I.D. (in)	Thread	H1 (in)	H2 (in)	L (in)	L (mm)	C (in)	C (mm)	Wt. Per ea (Lbs.)	Std. Pack	Pkg Code	Gates Item No.
4GLX-4FJXXBULK	1/4	7/16–20	1/2	9/16	2.10	53.3	1.08	27.4	.10	BULK	200	7107-0027
6GLX-6FJX XBULK	3/8	9/16–18	5/8	3/4	2.31	58.7	1.19	30.2	.15	BULK	150	7107-0028
8GLX-8FJX XBULK	1/2	3/4–16	13/16	7/8	2.82	71.6	1.34	34.0	.34	BULK	100	7107-0029
10GLX-10FJX XBULK	5/8	7/8–14	—	1 1/16	2.27	57.7	1.42	36.1	.24	BULK	100	7107-0030
12GLX-12FJX XBULK	3/4	1 1/16–12	1 1/16	1 1/4	3.68	93.5	1.67	42.4	.55	BULK	75	7107-0031
16GLX-16FJX XBULK	1	1 5/16–12	1 3/8	1 1/2	4.17	105.9	1.94	49.3	1.08	BULK	25	7107-0032
20GLX-20FJX XBULK	1 1/4	1 5/8–12	1 3/4	2	4.58	116.3	2.26	57.4	1.40	BULK	20	7107-0033

GSM™ with Integral 2" Fig. 1502 Hammer Unions



2" Figure 1502 Female Sub with Seal

Description	Hose I.D.	L		C		Wt. Per ea	Std. Pack	Pkg Code	Gates Item No.
	(in)	(in)	(mm)	(in)	(mm)	(Lbs.)			
24GSM-32FHU 1502	1 1/2	2.52	64.0	6.26	159.0	5.49	BULK	1	7341-02675
32GSM-32FHU 1502	2	7.35	186.0	2.86	72.6	8.65	BULK	1	7341-20315

2" Figure 1502 Male Sub with Nut

Description	Hose I.D.	L		C		Wt. Per ea	Std. Pack	Pkg Code	Gates Item No.
	(in)	(in)	(mm)	(in)	(mm)	(Lbs.)			
24GSM-32MHUWN 1502	1 1/2	6.64	168.7	2.90	73.7	16.43	BULK	1	7341-02695
32GSM-32MHUWN 1502	2	7.25	184.1	2.76	70.1	18.50	BULK	1	7341-20335

2" Figure 1502 Male Sub without Nut

Description	Hose I.D.	L		C		Wt. Per ea	Std. Pack	Pkg Code	Gates Item No.
	(in)	(in)	(mm)	(in)	(mm)	(Lbs.)			
24GSM-32MHU1502	1 1/2	6.64	168.7	2.90	73.7	6.38	BULK	1	7341-02685
32GSM-32MHU 1502	2	7.25	184.1	2.76	70.1	8.18	BULK	1	7341-20325

2" Figure 1502 Rubber Lip Seal and Wing Nut

Description	Hose I.D.	Wt. Per ea	Std. Pack	Pkg Code	Gates Item No.
	(in)	(Lbs.)			
-32 SR	2	.05	BULK	1	7253-01905

GSM™ Butt Weld

Description	Hose I.D.	L		C		Wt. Per ea	Std. Pack	Pkg Code	Gates Item No.
	(in)	(in)	(mm)	(in)	(mm)	(Lbs.)			
32GSM-32XXSBW	2	7.19	182.5	2.70	68.5	6.22	BULK	1	7341-20365
32GSM-48XXSBW	2	6.61	168.0	2.13	54.0	6.49	BULK	1	7341-20395

Air Master™ Diving Air H

			ck	Gates Item No.
33HB-6-6RFJX-STB	3/8	.09	BULK	7207-0598
33HB-6-6ROXY-STB	3/8	.11	BULK	7207-0599
33HB-8-10RFJSX-STB	1/2	.27	BULK	7107-0500

NOTE: These couplings are to be used with Air Master™ Diving Umbilical hose only. Air Master™ Diving assemblies made with Gates Divers' air couplings are rated at 250 PSI maximum working pressure.

Pressure Wash



Pressure Wash Swivel

Description	Hose I.D.		Thread	L		C		Wt. Per ea	Std. Pack	Gates Item No.
	(in)	(mm)		(in)	(mm)	(in)	(mm)	(Lbs.)		
4G-6PWX	1/4	6.4	M22X1.5	2.52	64.0	1.50	38.0	.25	1	7100-02905
6G-6PWX	3/8	9.5	M22X1.5	2.60	66.0	1.50	38.1	.27	1	7100-02915



Brass Lock-On Stem - Female Pipe Swivel with Cone Seat



Description	A1		T1 Thread	C		Wt. Per ea	Std. Pack	Gates Item No.
	(in)	(mm)	(in)	(in)	(mm)	(Lbs.)		
4LOC-2RFPX	1/4	6.4	1/8–27	1.81	46.0	.04	1	7250-16265
4LOC-4RFPX	1/4	6.4	1/4–18	1.81	46.0	.06	1	7250-16275
4LOC-6RFPX	1/4	6.4	3/8–18	2.00	50.8	.08	1	7250-16285
6LOC-4RFPX	3/8	9.5	1/4–18	1.81	46.0	.08	1	7250-16295
6LOC-6RFPX	3/8	9.5	3/8–18	2.00	50.8	.10	1	7250-16305
6LOC-8RFPX	3/8	9.5	1/2–14	2.38	60.5	.10	1	7250-16315
8LOC-8RFPX	1/2	12.7	1/2–14	2.38	60.5	.12	1	7250-16325
8LOC-12RFPX	1/2	12.7	3/4–14	2.68	68.1	.18	1	7250-16335
10LOC-12RFPX	5/8	15.9	3/4–14	2.68	68.1	.26	1	7250-16345
12LOC-12RFPX	3/4	19.1	3/4–14	2.68	68.1	.20	1	7250-16355

Brass Lock-On Stem - Male SAE 45° Flare



Description	A1		T1 Thread	C		Wt. Per ea	Std. Pack	Gates Item No.
	(in)	(mm)	(in)	(in)	(mm)	(Lbs.)		
4LOC-4RMS	1/4	6.4	7/16–20	.69	17.5	.04	1	7250-04645
4LOC-5RMS	1/4	6.4	1/2–20	.38	9.7	.04	1	7250-04655
4LOC-6RMS	1/4	6.4	5/8–18	.88	22.4	.0		
5LOC-5RMS	5/16	7.9	1/2–20	.81	20.6	.0		
6LOC-4RMS	3/8	9.5	7/16–20	.69	17.5	.0		
6LOC-5RMS	3/8	9.5	1/2–20	.81	20.6	.0