

## Honey Bee™ 60

**Honey Bee™ 60** is a thixotropic, acidic, liquid cleaner designed to remove hard water scale from vacuum and recirculating toilet systems.

### Conforms To

- Airbus
- Air Canada
- Air France
- American Airlines
- AMS
- Boeing
- Delta
- Douglas
- Embraer
- Garuda Indonesia
- KLM
- SAS

Full Listing on Page 2

### Benefits

- Effectively removes water scale and stains from stainless steel.
- Allows for in-place cleaning, eliminating the need to remove toilet systems from the aircraft.
- Can be applied directly to scale deposits for local cleaning.
- Thickened for better cling on vertical surfaces.
- Safe on stainless steel, most plastics and good quality paint.
- Surfactants biodegradable
- Regular cleaning will assist in maintaining toilet systems in good operating condition and help control odors offensive to the travelling public.

### Properties

- Slightly Viscous
- Blue Liquid
- Pleasant Odor

### ! Notes Prior to Handling

Before using your Cee-Bee® products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee® representative before proceeding.

## Conforms To (Continued)

- Airbus
  - CML 11-028
  - CML 14-001A
- AMS
  - AMS 1476B
  - AMS 1640
- Boeing
  - AMM 737, 747, 757, 767, 777
  - SOPM 20-30-03
- Douglas
  - AOL Letter (C-9, DC-8, DC-9, KC-10, DC-10, MD-11, MD-80)
- Embraer
  - Consumable Products Catalog

## Safety, Handling, and Precautions

- Acid material can cause burns. Avoid eye and skin contact. Chemical goggles or face shield and chemical-resistant gloves are recommended.
- In case of accidental contact, flush area thoroughly with water. If irritation persists, seek medical attention.
- Do not take internally.
- Storage and handling equipment should be constructed of 316 stainless or acid resistant plastic materials, such as fiberglass, polypropylene or polyethylene.

## Caution

- Honey Bee™ 60 is not safe for use on high strength steel, zinc or magnesium.

## Use Procedure

### In-place Descaling of Vacuum Toilet Systems

1. Drain and service the waste tanks with lavatory deodorant or fresh water.
2. Place in each toilet bowl 0.5 gallon (2 liters) of Honey Bee™ 60 and 0.5 gallon (2 liters) of ice.
  - a. **Note:** Ice cubes should be approximately 0.5 inch (1.3 cm) diameter as larger cubes may damage level detecting equipment in the toilet holding tank.
  - b. **Note:** The use of ice with Honey Bee™ 60 is recommended, but optional.
  - c. **Note:** Do not keep Honey Bee™ 60 in the toilet bowl longer than necessary.
3. Flush the toilet to make sure that Honey Bee 60 is removed from the toilet bowl. Let Honey Bee™ 60 stay in the waste lines as long as possible. Repeat procedure for each toilet.
4. Before the aircraft re-enters service, flush approximately 1.0 gallon (4 liters) of fresh water down each toilet to remove acid residues and loosened scale.
5. Drain and service the waste tanks after all the toilets and waste lines have been treated and rinsed.

### Shop Cleaning of Toilet System Parts

1. Charge a #316 stainless steel or acid-resistant plastic tank with Honey Bee™ 60.
2. Completely immerse parts in Honey Bee™ 60 solution at ambient temperature and allow to dwell until deposits have been loosened. Some agitation of the solution will speed removal.
3. When the cleaning is complete, remove the parts and allow excess solution to drain back into the tank.
4. Rinse parts thoroughly with water using spray or immersion method.

### Local Cleaning

1. Apply Honey Bee™ 60 full strength with a plastic squeeze bottle or trigger spray bottle to hard water scale that forms under the potable water flush ring, to the flush valve in the bottom of the toilet bowl, or to the underside of the toilet shroud after removal.
2. Allow Honey Bee™ 60 to dwell and then agitate with a Tampico brush or a low abrasion Scotchbrite pad.
  - a. **CAUTION:** Do not use metal tools to remove hard water scale from the toilet bowl as this will damage the Teflon coating on stainless steel toilet bowls or will scratch the surface of plastic toilet bowls.
3. Add fresh water to the toilet bowl and flush to evacuate the Honey Bee™ 60. For toilet shroud cleaning, wipe away residual Honey Bee™ 60 and neutralize the surface by apply a deodorizing alkaline cleaner such as Honey Bee™ 90.

## Contact Us

---

### United States

#### McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: [Aviation@McGean.com](mailto:Aviation@McGean.com)

### United Kingdom

#### McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: [Aviation@McGean-Rohco.co.uk](mailto:Aviation@McGean-Rohco.co.uk)

---

### Singapore

#### McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: [Info@ceebbee.com.sg](mailto:Info@ceebbee.com.sg)

### China

#### Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: [Info@ceebbee.com.cn](mailto:Info@ceebbee.com.cn)

**Honey Bee™ 60** is a thixotropic, acidic, liquid cleaner designed to remove hard water scale from vacuum and recirculating toilet systems.

**CAUTION:** BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.

